

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Urea Solution
CAS No. : 57-13-6
Formula : (NH₂)₂CO (aq)
Synonyms : Carbamide, Carbonyl diamide

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation : Fertilizer, Industrial Use

1.3. Details of the supplier of the safety data sheet

East Dubuque Nitrogen Fertilizers, LLC
16675 Highway 20 West
East Dubuque, IL 61025

T 815-747-3101

1.4. Emergency telephone number

Emergency number : CHEMTREC: 800-424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin Irrit. 2 H315
Eye Irrit. 2A H319

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US) :



GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H315 - Causes skin irritation
H319 - Causes serious eye irritation

Precautionary statements (GHS-US) : P264 - Wash hands thoroughly after handling
P280 - Wear eye protection, protective gloves, protective clothing
P302+P352 - IF ON SKIN: Wash with plenty of water
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P332+P313 - If skin irritation occurs: Get medical advice/attention
P337+P313 - If eye irritation persists: Get medical advice/attention
P362 - Take off contaminated clothing

Urea Solution

Safety Data Sheet

according 29 CFR 1910.1200(g)

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Urea	(CAS No.) 57-13-6	30 - 70	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Water	(CAS No.) 7732-18-5	30 - 70	Not classified

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation	: If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. Obtain medical attention if breathing difficulty persists.
First-aid measures after skin contact	: Wash skin thoroughly with mild soap and water. Obtain medical attention if irritation develops or persists. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period (at least 15 minutes) while holding the eyelids wide open. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: Irritation to eyes, skin and respiratory tract.
Symptoms/injuries after inhalation	: Overexposure may be irritating to the respiratory system.
Symptoms/injuries after skin contact	: May cause skin irritation.
Symptoms/injuries after eye contact	: May cause eye irritation.
Symptoms/injuries after ingestion	: If a large quantity has been ingested: Abdominal pain; Diarrhea; Nausea; Vomiting. May cause drowsiness and loss of coordination.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Not considered flammable but will burn at high temperatures. Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None known.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Under conditions of fire this material may produce: Ammonia; Nitrogen oxides; Biuret; Cyanuric acid
Explosion hazard	: May form explosive compounds if mixed with: Calcium hypochlorite; Sodium hypochlorite; Nitrates; Nitric acid; Perchloric acid

Urea Solution

Safety Data Sheet

according 29 CFR 1910.1200(g)

Reactivity : Stable at ambient temperature and under normal conditions of use.

5.3. Advice for firefighters

Firefighting instructions : Not flammable.

Protection during firefighting : Wear full fire-fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

Other information : Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Handle in accordance with good industrial hygiene and safety practice.
Caution: this product can cause the floor to be very slippery.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing, gloves, and eye/face protection.

Emergency procedures : Absorb and/or contain spill with inert material, then place in suitable container. Ventilate area. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing, gloves and eye/face protection.

Emergency procedures : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. If possible, stop flow of product. Ventilate area.
Evacuate unnecessary personnel.

6.2. Environmental precautions

Avoid release to the environment. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Absorb and/or contain spill with inert material, then place in suitable container.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Handle in accordance with good industrial hygiene and safety procedures.
Avoid contact with skin and eyes. Wear recommended personal protective equipment.

Hygiene measures : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store tightly closed in a dry, cool and well-ventilated place. Protect from moisture.

Prohibitions on mixed storage : Store away from: Ammonium nitrate. Refer to Section 10 on Incompatible Materials.

Special rules on packaging : Corrosive to copper and its alloys.

Urea Solution

Safety Data Sheet

according 29 CFR 1910.1200(g)

7.3. Specific end use(s)

Fertilizer

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No exposure limits were found for any of this product's components.

8.2. Exposure controls

Appropriate engineering controls : Ensure adequate ventilation, especially in confined areas.

Personal protective equipment :



Hand protection : Impermeable protective gloves.

Eye protection : Protective goggles.

Skin and body protection : Wear suitable protective clothing. Wear rubber boots. Wash contaminated clothing before reuse. Handle in accordance with good industrial hygiene and safety practice.

Respiratory protection : Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations of vapor or mist are expected to exceed exposure limits.

Environmental exposure controls : Ensure adequate ventilation, especially in confined areas.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear
Color	: Colorless
Odor	: Odorless to slight ammonia-like.
Odor threshold	: 25 ppm (Ammonia vapor)
pH	: 8.5 - 10.6
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 106 °C (223 °F)
Flash point	: No data available
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C (68 °F)	: No data available
Relative Density	: 1.08 – 1.19 (water = 1)
Solubility	: Water: Miscible
Log Pow	: -1.59 at 25 °C
Log Kow	: 1.59 at 20-25°C

Urea Solution

Safety Data Sheet

according 29 CFR 1910.1200(g)

Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

10.2. Chemical stability

Stable at standard temperature and pressure.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Protect from moisture. Keep away from heat.

10.5. Incompatible materials

May form explosive mixture if in contact with strong acid such as nitric or perchloric acids.

Avoid contact with: Strong oxidizers; Strong acids; Strong bases; Nitrates; Hypochlorites; Perchlorates; Chlorides.

Corrosive to copper and its alloys.

10.6. Hazardous decomposition products

Under conditions of fire this material may produce: Nitrogen oxides; Ammonia; Biuret; Cyanuric acid

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Urea (57-13-6)	
LD50 oral rat	8471 mg/kg

Skin corrosion/irritation	: Causes skin irritation. pH: 8.5 - 10.6
Serious eye damage/irritation	: Causes serious eye irritation. pH: 8.5 - 10.6
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

Urea Solution

Safety Data Sheet

according 29 CFR 1910.1200(g)

Symptoms/injuries after inhalation	: Overexposure may be irritating to the respiratory system.
Symptoms/injuries after skin contact	: May cause skin irritation.
Symptoms/injuries after eye contact	: May cause eye irritation.
Symptoms/injuries after ingestion	: If a large quantity has been ingested: Abdominal pain; Diarrhea; Nausea; Vomiting. May cause drowsiness and loss of coordination.

SECTION 12: Ecological information

12.1. Toxicity

Urea (57-13-6)	
LC50 fish 1	16200 - 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata)
EC50 Daphnia 1	> 10000 mg/l (Exposure time: 24 h - Species: Daphnia magna Straus)
EC50 Daphnia 2	3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

12.2. Persistence and degradability

Urea Solution	
Persistence and degradability	May cause long-term adverse effects in the environment. This product is water soluble and eventually biodegrades into elemental nitrogen. Excess nitrogen and nitrates in a body of water will contribute to eutrophication with visible effects such as toxic algae bloom.

12.3. Bioaccumulative potential

Urea (57-13-6)	
BCF fish 1	< 10
Log Pow	-1.59 (at 25 °C)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations	: This material is hazardous to the aquatic environment. Keep out of sewers and waterways.
Waste disposal recommendations	: Place in an appropriate container and dispose of the contaminated material at a licensed site.
Additional information	: Dispose of waste material in accordance with all local, regional, national, and international regulations.

SECTION 14: Transport information

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

Urea Solution

Safety Data Sheet

according 29 CFR 1910.1200(g)

14.3. Additional Information

DOT Reportable Quantity (RQ) : None

CHRIS Code : URE

SECTION 15: Regulatory information

15.1. US Federal regulations

Urea Solution	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
Urea (57-13-6)	
United States TSCA (Toxic Substances Control Act) inventory	Yes
EPCRA (SARA) § 313	No
EPCRA (SARA) Threshold Planning Quantity (TPQ)	None
EPCRA (SARA) Reportable Quantity (RQ)	None
EPCRA(SARA) Extremely Hazardous Substance	No
CERCLA Reportable Quantity (RQ)	None
CERCLA Hazardous Substance	No

15.2. US State regulations

Urea (57-13-6)	
U.S. - Minnesota - Hazardous Substance List	
U.S. - Texas - Effects Screening Levels - Long Term	
U.S. - Texas - Effects Screening Levels - Short Term	

SECTION 16: Other information


Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
H315	Causes skin irritation
H319	Causes serious eye irritation

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



The information contained in this Safety Data Sheet (SDS) relates only to the specific product(s) designated herein. The information and recommendations are based upon data believed to be current as of the date of this SDS and was obtained from sources believed to be accurate. However, this information is furnished without warranty, representations, or license of any kind, express or implied, with respect to accuracy, correctness, or completeness and neither East Dubuque Nitrogen Fertilizers, LLC nor its affiliates assume any legal responsibility for use or reliance upon same.

SDS US (GHS HazCom 2012) - US

03/12/2014 (Name Revision 4/20/16)

EN (English)

SDS Ref.: RTN00006

7/7